

STATEMENT OF WORK (SOW)
For the Inspect and Repair Only As Necessary (IROAN) of the
20 Foot, Fuel – Electrical Shelter
NSN: 5411-01-342-5909
P/N: 87021A0103; CAGE: 01365

1.0 Scope

This SOW establishes, sets forth tasks and identifies the work effort that shall be performed by the Contractor to IROAN the 20 Foot, Fuel – Electrical Shelter, NSN 5411-01-342-5909, P/N 87021A0103, CAGE 01365.

2. The attached manuscript has been reviewed and is concurred upon by the following:

DENNIS COOPER

Marine Corps Systems Command (Code PMM151)

Albany, Georgia

Logistics Management Specialist

PM-GROUND TRANSPORTATION SYSTEM

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	<u>Page</u>
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Specifications	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	3
3.3	Government Furnished Equipment (GFE)/Materiel (GFM)	4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	4
3.8	Rejection	4
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Test/Inspection Report	5
<u>Appendix</u>		
A	Standard Form 364 (Rev. 2-80)	A-1

STATEMENT OF WORK
For the IROAN of
20 Foot, Fuel – Electrical Shelter
NSN: 5411-01-342-5909
P/N: 87021A0103; CAGE: 01365

1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work effort that shall be performed by the Contractor to IROAN the 20 Foot, Fuel - Electrical Shelter, NSN: 5411-01-342-5909. This document contains requirements to restore the 20 Foot, Fuel - Electrical Shelter to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."

1.1 Background. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129	DoD Standard Practice for Military Marking
-------------	--

MIL-STD-2073-1D	DoD Standard Practice for Military Packaging
-----------------	--

2.2 Other Government Documents and Publications. The issues of those documents cited below shall be used.

TM 5410-14/1	Intermediate Maintenance Instructions Electronics Maintenance Complex
--------------	---

TM 5411-14&P/2	Marine Corps Expeditionary Shelter System, General Purpose Shelter, Operations and Maintenance Instructions with Repair Parts
----------------	---

TM 5411-14/1	Marine Corps Expeditionary Shelter System (MCESS) (Small Shelter Family) Operational and Maintenance Instructions
--------------	---

DoD 4000.25-1-M	Military Standard Requisitioning and Issue Procedures (MILSTRIP)
-----------------	--

Military Handbook (For Guidance)

MIL-HDBK-61	Configuration Management Guidance
-------------	-----------------------------------

2.3 Industry Standards

JESD625-A	Requirements for Handling Electrostatic-Discharge Sensitive (ESDS) Devices
-----------	--

ANSI/ISO/ASQC Q9001-2000	Quality Management Systems - Requirements
--------------------------	---

Industry Standard (For Guidance)

ANSI/EIA-649	National Consensus Standard for Configuration Management
--------------	--

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the Internet at <http://www.dodssp.daps.mil>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P. O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: (Code 583-1), 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 Requirements

3.1 General Tasks. In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the 20 Foot Fuel - Electrical Shelter. Upon completion of repair, the subject item shall be Condition Code "A".

3.2 Detail Tasks. The following tasks describe the different phases for repair of the 20 Foot, Fuel - Electrical Shelter.

Phase I	Pre-Induction
Phase II	Repair
Phase III	Inspection, Testing and Acceptance
Phase IV	Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 Phase I - Pre-Induction. The Contractor shall perform a pre-induction inspection analysis for each 20 Foot, Fuel - Electrical Shelter within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Systems Command (MCSC) (Code PMM151), Albany, GA for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to MCSC (Code PMM151), Albany, GA in accordance with section 4.0 of this SOW.

3.2.2 Phase II – Repair. After pre-induction tests and inspections have been completed, repair of the 20 Foot, Fuel - Electrical Shelter shall be accomplished by the Contractor in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/ replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair. TM 5410-14/1, TM 5411-14/1, and TM 5411-14&P/2 apply.

a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety and one-time use items. Unserviceable would include any of the above that failed to function properly.

(2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.

(3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

b. Any Modification Instructions (MIs) or Engineering Change Proposals (ECPs) not previously applied shall be incorporated.

3.2.3 Phase III - Inspection, Testing and Acceptance

a. The Contractor shall conduct inspection, testing and acceptance of each 20 Foot, Fuel - Electrical Shelter in accordance with TM 5410-14/1, TM 5411-14/1, and TM 5411-14&P/2.

b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCSC (Code PMM151), Albany, GA representatives may require the Contractor to repeat tests, or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging for item(s) being repaired under the terms of this statement of work. Items being prepared for long-term storage and shipment to overseas destinations shall be preserved and packaged in accordance with the Level "A" requirements of MIL-STD-2073-1D. Items scheduled for domestic shipment for

immediate use and short-term storage shall be to Level "B" requirements.

b. Marking for shipment and storage shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to: Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320 or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.

3.4 Contractor Furnished Materiel (CFM). The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

3.5 Electrostatic Discharge (ESD) Control Program. The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.

3.6 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems – Requirements. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. MCSC (Code PMM151), Albany, GA reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

3.7 Acceptance. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and MCSC (Code PMM151), Albany, GA representatives shall be permitted to observe the work or to conduct an inspection.

3.8 Rejection. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCSC (Code PMM151), Albany, GA representative. The Contractor shall, at no additional cost to MCSC (Code PMM151), Albany, GA correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

3.9 Configuration Control. The Contractor shall apply configuration control to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.

4.0 Reports. All report deliverables shall be submitted in hard copy to Marine Corps Systems Command (Code PMM151), 814 Radford Blvd., Suite 20342, Albany GA 31704-0343 unless directed otherwise in a Contract Data Requirements List.

4.1 Pre-Induction Checklist. The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each 20 Foot Fuel - Electrical Shelter, repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCSC (Code PMM151), Albany, GA, within 30 days after final acceptance of the 20 Foot, Fuel - Electrical Shelter.

4.2 Test/Inspection Report. The Contractor shall provide a Test/Inspection Report for each 20 Foot, Fuel - Electrical Shelter.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).

REPORT OF DISCREPANCY (ROD)		1. DATE OF PREPARATION	2. REPORT NUMBER	
3. TO: (Name and Address, Include ZIP Code)		4. FROM: (Name and Address, Include ZIP Code)		
5a. SHIPPER'S NAME		5b. NUMBER AND DATE OF INVOICE	5c. TRANSPORTATION DOCUMENT NUMBER (GBL, Waybill, TCN, etc.)	
7a. SHIPPER'S NUMBER (Purchase Order/Shipmet, Contract, etc)	7b. OFFICE ADMINISTERING CONTRACT		8. REQUISITIONER'S NUMBER (Requisition, Purchase Reque etc.)	
9. SHIPMENT, BILLING, AND RECEIPT DATA			10. DISCREPANCY DATA	
NSN/PART NUMBER AND NOMENCLATURE (a)	UNIT OF ISSUE (b)	QUANTITY SHIPPED/BILLED (c)	QUANTITY RECEIVED (d)	QUANTITY (a)
				UNIT PRICE (b)
				TOTAL COST (c)
				1 CODE (d)
11. 2				
12. REMARKS (continue on separate sheet of paper if necessary)				

1. DISCREPANCY CODES		2. ACTION CODES
CONDITION OF MATERIAL C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, Improper or without authority <i>(Only when receipt cannot be properly processed)</i> MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt document O2 - Quantity in excess of that requested <i>(Other than unit of issue pack)</i> O3 - Quantity duplicate shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper packing P3 - Improper Marking P4 - Improper unitization	PRODUCT QUALITY DEFICIENCIES Q1 - Deficient material <i>(Applicable to Grant Aid and FMS shipments)</i> SHORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested <i>(Other than unit of issue pack)</i> S3 - Non-receipt of parcel post shipments ITEM TECHNICAL DATA MARKINGS <i>(i.e., Name Plates, Log Books, Operating Handbooks, Special Instructions, etc.)</i> T1 - Missing T2 - Illegible or Mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing WRONG ITEM <i>(Identify requested item as a separate copy in Item 9. above)</i> W1 - Incorrect item received W2 - Unacceptable substitute OTHER DISCREPANCIES Z1 - See Remarks	1A - Disposition instructions requested <i>(Reply on reverse)</i> 1B - Material being retained <i>(See Remarks)</i> 1C - Supporting supply documentation requested 1D - Material still required, expedite shipment <i>(Not applicable to FMS)</i> 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days <i>(Reply on reverse)</i> <i>(Not applicable to FMS)</i> 1F - Replacement shipment requested <i>(Not applicable to FMS)</i> 1G - Reshipment not required. Item to be re-requisitioned 1H - No action required. Information only 1Z - Other action requested <i>(See remarks)</i>

13. FUNDING AND ACCOUNTING DATA

14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL	14b. SIGNATURE
---	----------------

15. DISTRIBUTION ADDRESSEES FOR COPIES

Appendix (B)

15 March 2003

16. FROM:		17. DISTRIBUTION ADDRESSEES FOR DISTRIBUTION	
18. TO:			Use window envelope to mail this document. Insert Name and address, including ZIP Code, starting one typing space below the left dot. Each address line must NOT extend beyond right dot. Address must not exceed four single space typing lines.
19. IN ACCORDANCE WITH NOTICE OF DISCREPANCY ON FACE OF THIS FORM:			
a. MATERIAL <input type="checkbox"/> HAS BEEN <input type="checkbox"/> WILL BE SHIPPED		b. <input type="checkbox"/> NO RECORD OF SHIPMENT RESUBMIT REPORT TO PROPER OFFICE UNDER	
c. <input type="checkbox"/> AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A <input type="checkbox"/> CREDIT <input type="checkbox"/> DEBIT		d. <input type="checkbox"/> INVOICE/BILL ATTACHED e. <input type="checkbox"/> PROOF OF DELIVERY	
f. <input type="checkbox"/> AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREPANCY WILL NOT BE PROCESSED FOR THE FOLLOWING REASON WHICH IS CITED IN THE INDICATED REGULATION			
(1) REASON FOR NOT PROCESSING		(2) PRESCRIBING REGULATION	
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRAMES ALLOWED AND/OR		(a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIALS, OR BILLINGS (FPMR 101.26.8)	
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBED IN THE REGULATION OR AGREEMENT INDICATED IN 191(2)		(b) CHAPTER 2 AND/OR 7 OF DOD 4000.25.7.M, MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OFFER AND ACCEPTANCE, AS APPLICABLE	
20. THE FOLLOWING DISPOSITION IS TO BE MADE OF THE REFERENCED MATERIAL.			
a. <input type="checkbox"/> PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES		b. <input type="checkbox"/> REPRESENTATIVE WILL CALL FOR DISCUSSION CONCERNING DISPOSITION	
c. <input type="checkbox"/> RETAIN MATERIAL AT NO CHARGE		d. <input type="checkbox"/> MATERIAL WILL BE PICKED UP IN:	
e. <input type="checkbox"/> SHIP MATERIAL <i>(Specify location)</i>		DAYS	
(1) <input type="checkbox"/> GBL APPROPRIATION CHARGEABLE:		DAYS	
(2) <input type="checkbox"/> CHARGES COLLECT - VIA: <input type="checkbox"/> FREIGHT <input type="checkbox"/> EXPRESS <input type="checkbox"/> PARCEL POST		(5)	
(3) <input type="checkbox"/> PARCEL POST LABEL ATTACHED		(4) <input type="checkbox"/> FREIGHT PREPAID	
f. <input type="checkbox"/> OTHER <i>(Specify)</i>			
21. <input type="checkbox"/> IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.		22. <input type="checkbox"/> REPLACEMENT WITH SATISFACTORY MATERIAL WILL BE MADE ON/OR BEFORE:	
23. REMARKS <i>(Continue on separate sheet of paper if necessary).</i>			
24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL		24b. SIGNATURE	
24c. DATE		24d. DATE	

STANDARD FORM 364 BACK (REV. 2-80)

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM 20Ft Fuel-Elec Shelter	E. CONTRACT/PR NO.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM NO. A001	2. TITLE OF DATA ITEM Test/Inspection Report	3. SUBTITLE NonDestructive Testing and Inspection
--------------------------	---	--

4. AUTHORITY (Data Acquisition Document No.) DI-NDTI-80809B	5. CONTRACT REFERENCE SOW 4.2	6. REQUIRING OFFICE MarCorSysComm Albany, GA
--	----------------------------------	---

7. DD 250 REQ DD	8. DIST STATEMENT REQUIRED A	10. FREQUENCY	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION												
9. APP CODE A		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION See Blk 16	<table border="1"> <tr> <th>a. ADDRESSEE</th> <th colspan="3">b. COPIES</th> </tr> <tr> <th></th> <th>Draft</th> <th>Final</th> <th></th> </tr> <tr> <th></th> <th></th> <th>Reg</th> <th>Repro</th> </tr> </table>	a. ADDRESSEE	b. COPIES				Draft	Final				Reg	Repro
a. ADDRESSEE	b. COPIES															
	Draft	Final														
		Reg	Repro													

18. REMARKS Blk 4 - Contractor format is acceptable. DI-NDTI-80809B, delete paragraph 7.4. Delete paragraph 10.2.3.2.d, 10.2.3.2.e, 10.2.6.2, 10.2.6.4.2.a, 10.2.6.4.2.b, 10.2.6.4.2.c, 10.2.6.4.2.d, 10.2.6.5.a, 10.2.6.5.d, 10.2.6.5.e and 10.2.6.5.f. Blk 12 - Submit test report within 15 days after completion of repair. MCSC (C4I), Albany will provide acceptance/nonacceptance to the Contractor within 30 days. Blk 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited.	MCSC(PMM151)	0	1	0
	15. TOTAL	0	1	0

G. PREPARED BY 	H. DATE 17 MAR 03	I. APPROVED BY 	J. DATE 14 MAR 03
--------------------	----------------------	--------------------	----------------------

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block C

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM Shelter Fuel Elec 20 Ft.	E. CONTRACT/PR NO.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM NO. B001	2. TITLE OF DATA ITEM Request For Deviation	3. SUBTITLE Configuration Management
--------------------------	--	---

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80640C	5. CONTRACT REFERENCE SOW 3.9	6. REQUIRING OFFICE MCLBA (583)
--	----------------------------------	------------------------------------

7. DD 256 REQ LT	8. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION
9. APP CODE A		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE
				b. COPIES
				Draft
				Final
				Reg
				Repro

18. REMARKS Blk 4 - Contractor format submitted in .pdf or .doc format is authorized. Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14: RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmgmnt@matcom.usmc.mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited.	MCLBA (583-1)	0	1	0
	15. TOTAL	0	1	0

G. PREPARED BY <i>Gene Collier</i>	H. DATE 17 Mar 03	I. APPROVED BY <i>J. Cooper</i>	J. DATE 14 MAR 03
---------------------------------------	----------------------	------------------------------------	----------------------

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE